API NUMBER: 017 24959

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 12/08/2016 06/08/2017 **Expiration Date**

PERMIT TO DRILL

County: CANADIAN WELL LOCATION: Sec: Twp: 13N Rge: 9W

FEET FROM QUARTER: FROM SPOT LOCATION: NORTH EAST NW || NE NE SECTION LINES:

Lease Name: COPELAND Well No: 8-33H Well will be 255 feet from nearest unit or lease boundary.

875

CIMAREX ENERGY CO Operator OTC/OCC Number: Telephone: 9185851100 21194 0 Name:

255

CIMAREX ENERGY CO

202 S CHEYENNE AVE STE 1000

TULSA. OK 74103-3001 **BONNIE RHEA**

4750 SOUTH HIGHWAY 74-F

CASHION OK 73016

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth WOODFORD 12600 1 6 2 7 3 8 4 9 10 566702 Spacing Orders: Location Exception Orders: Increased Density Orders:

Pending CD Numbers: 201605341 Special Orders:

> 201605349 201605345

Total Depth: 17407 Ground Elevation: 1473 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 250

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 16-31906 H. CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST Chlorides Max: 10000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Wellhead Protection Area?

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: MARLOW

HORIZONTAL HOLE 1

Sec 33 Twp 13N Rge 9W County CANADIAN

Spot Location of End Point: SW SE SE SE
Feet From: SOUTH 1/4 Section Line: 150
Feet From: EAST 1/4 Section Line: 396

Depth of Deviation: 11880
Radius of Turn: 477
Direction: 175
Total Length: 4778

Measured Total Depth: 17407

True Vertical Depth: 12800

End Point Location from Lease,
Unit, or Property Line: 150

Notes:

Category Description

DEEP SURFACE CASING 12/7/2016 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 12/7/2016 - G71 - OCC 165:10-3-10 REQUIRES: 1) THE CHEMICAL DISCLOSURE OF HYDRAULIC

FRACTURING INGREDIENTS FOR ALL WELLS BE REPORTED TO FRACFOCUS USING THE FOLLOWING LINK HTTP://FRACFOCUS.ORG/ WITH NOTICE GIVEN 48 HOURS IN ADVANCE OF FRACTURING TO THE LOCAL OCC DISTRICT OFFICE; AND, 2) PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE ALSO GIVEN FIVE BUSINESS

DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME

COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE.

PENDING CD - 201605341 12/8/2016 - G75 - (I.O.) 33-13N-9W

X566702 WDFD, OTHER

XOTHER

COMPL. INT. NCT 500' FNL, NCT 150' FSL, NCT 316' FEL

NO OP. NAMED

REC 12-5-2016 (MCKEOWN)

PENDING CD - 201605345 12/8/2016 - G75 - 33-13N-9W

X566702 WDFD 6 WELLS NO OP. NAMED

REC 12-5-2016 (MCKEOWN)

PENDING CD - 201605349 12/8/2016 - G75 - (I.O.) 33-13N-9W

X165:10-3-28(C)(2)(B) WDFD (COPELAND 8-33H)

MAY BE CLOSÉR THAN 600' TO EXISTING/PROPOSED WELL

CIMAREX ENERGY CO. REC 12-5-2016 (MCKEOWN)

SPACING - 566702 12/8/2016 - G75 - (640) 33-13N-9W

EXT 560156 WDFD, OTHER

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA 6709 NORTH CLASSEN BLVD., OKLA. CITY, OKLA. 73116 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219

Certificate of Authorization No. 1293 LS CANADIAN API 017-24959 County, Oklahoma 255'FNL - 875'FEL 9W__I.M. __ Township ___13N __ Range __ Section 1951661 205975 255 X= 1949015 Y= 205982 X= 1954298 Y= 205973 1762 LANDING POINT LANDING POINT 347'FNL-396'FEL NAD-27 (US Feet) 35'33'53.2"N 98'09'18.0"W 2384 PATH 35.564789259 98.154989715° W DRILL X=1953901 Y=205626 PROPOSED X= 1954293 Y= 203333 X= 1949017 Y= 203346 557 1958 BOTTOM HOLE 150'FSL-396'FEL NAD-27 (US Feet) 35'33'06.0"N 98'09'18.0"W 2488 35.551655267° N 98.154988692° W X=1953894 GRID Y=200845 NAD-27 Okla. North US Feet BOTTOM 1000 500 Township Line T13N-R9W T12N-R9W 3rd STANDARD PARALLEL NORTH X= 1950430 Y= 200711 X= 194902 Y= 200711 NOTE: Landing Point, Bottorn Hole and Drill Path information provided by operator listed, NOT Surveyed. The information shown herein is for construction purposes ONLY. Operator: CIMAREX ENERGY CO. **ELEVATION:** Lease Name: COPELAND Well No.: 8-33H 1473' Gr. at level pad NGVD29 Topography & Vegetation Loc. fell on level pad under construction Reference Stakes or Alternate Location Good Drill Site? _____ Stakes Set ___None Best Accessibility to Location From North off county road Distance & Direction From Calumet, OK, go ±2.5 mi. South on US Hwy. 270, then from Hwy Jct or Town ±2.25 mi. West on Britton Road West to the NE Cor. of Sec. 33-T13N-R9W War general and a second Date of Drawing: Dec. 01, 2016 Invoice # 268193D Date Staked: Nov. 29, 2016 DATUM: <u>NAD-27</u> LAT: <u>35°33'54.1"N</u> AC LONG: 98'09'23.8"W **CERTIFICATE:** CENSED LAT: <u>35.565040656</u> N I, Thomas L. Howell an Oklahoma Licensed Land Surveyor and an authorized agent of Topographic Land THOMAS L URVE LONG: 98.156600079° W HOWELL STATE PLANE Surveyors of Oklahoma, do hereby certify to the 1433 COORDINATES: (US Feet) information shown herein *LAHOMA ZONE: __OK_NORTH Thoma T. Navel
Oklahoma Lic. No. 1433 1953422 Y: 205719