

Oklahoma Corporation Commission  
Oil & Gas Conservation Division  
Post Office Box 52000  
Oklahoma City, Oklahoma 73152-2000  
Rule 165: 10-3-25

Form 1002A

API No.: 3507325360000

**Completion Report**

Spud Date: August 28, 2016

OTC Prod. Unit No.: 073-218062-0-0000

Drilling Finished Date: September 13, 2016

1st Prod Date: November 16, 2016

Completion Date: October 26, 2016

**Drill Type: HORIZONTAL HOLE**

Well Name: VADDER 1805 2-12RMH

Purchaser/Measurer:

Location: KINGFISHER 12 18N 5W  
NE NE NW NW  
230 FNL 1114 FWL of 1/4 SEC  
Latitude: 36.0573 Longitude: -97.58296  
Derrick Elevation: 0 Ground Elevation: 1031

First Sales Date:

Operator: OKLAHOMA ENERGY ACQUISITIONS LP 23509

15021 KATY FWY STE 400  
HOUSTON, TX 77094-1900

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
652573

Increased Density
Order No
There are no Increased Density records to display.

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16		X42	120		27	SURFACE
SURFACE	9 5/8	36	J55	478		300	SURFACE
INTERMEDIATE	7	29	P110	6092		280	3189

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P110	5166	0	0	5929	11095

**Total Depth: 11103**

Packer	
Depth	Brand & Type
5872	ASIII

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Dec 15, 2016	MISS'AN (EX CHESTER)	445	39	852	1915	1384	GAS LIFT		OPEN	239

**Completion and Test Data by Producing Formation**

Formation Name: MISS'AN (EX CHESTER)

Code: 359MSNLC

Class: OIL

**Spacing Orders**

Order No	Unit Size
651735	640
656013	640

**Perforated Intervals**

From	To
There are no Perf. Intervals records to display.	

**Acid Volumes**

6907 BBLS HCL

**Fracture Treatments**

298,868 BBLS SW; 5,847,151 LBS SAND

Formation	Top
BIG LIME	5654
OSWEGO (4TH)	5786
PRUE	5855
VERDIGRIS	5870
SKINNER	5924
PINK LIME	5963
RED FORK	5991
INOLA	6025
MERAMEC	6052
MLM	6181

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

**Other Remarks**

THIS WELL IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" CASING AT 6092' TO TERMINUS AT 11,103'. THE 4 1/2" LINER IS NOT CEMENTED.  
OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED.  
IRREGULAR SECTION.

**Lateral Holes**

Sec: 12 TWP: 18N RGE: 5W County: KINGFISHER

SE SE SW SW

206 FSL 1117 FWL of 1/4 SEC

Depth of Deviation: 5924 Radius of Turn: 741 Direction: 179 Total Length: 4129

Measured Total Depth: 11103 True Vertical Depth: 6494 End Pt. Location From Release, Unit or Property Line: 206

**FOR COMMISSION USE ONLY**

1135361

