

Oklahoma Corporation Commission  
Oil & Gas Conservation Division  
Post Office Box 52000  
Oklahoma City, Oklahoma 73152-2000  
Rule 165: 10-3-25

Form 1002A

API No.: 35073253160000

**Completion Report**

Spud Date: October 10, 2016

OTC Prod. Unit No.: 073-218091-0-0000

Drilling Finished Date: October 25, 2016

1st Prod Date: November 28, 2016

Completion Date: November 11, 2016

**Drill Type: HORIZONTAL HOLE**

Well Name: EDWIN 1805 4-22MH

Purchaser/Measurer:

Location: KINGFISHER 22 18N 5W  
SE SE SW SW  
241 FSL 1318 FWL of 1/4 SEC  
Latitude: 36.01533 Longitude: 97.72448  
Derrick Elevation: 0 Ground Elevation: 1125

First Sales Date:

Operator: OKLAHOMA ENERGY ACQUISITIONS LP 23509

15021 KATY FWY STE 400  
HOUSTON, TX 77094-1900

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
653561	

Increased Density	
Order No	
There are no Increased Density records to display.	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16		X42	123		27	SURFACE
SURFACE	9 5/8	36	J55	395		300	SURFACE
INTERMEDIATE	7	29	P110	7005		285	4198

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P110	4834	0	0	6864	11698

**Total Depth: 11700**

Packer	
Depth	Brand & Type
6847	ASIII

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Dec 27, 2016	MISS'AN (EX CHESTER)	357	39	5	14	935	GAS LIFT		OPEN	149

**Completion and Test Data by Producing Formation**

Formation Name: MISS'AN (EX CHESTER)

Code: 359MSNLC

Class: OIL

**Spacing Orders**

Order No	Unit Size
653156	640

**Perforated Intervals**

From	To
There are no Perf. Intervals records to display.	

**Acid Volumes**

6676 BBLs HCL
---------------

**Fracture Treatments**

5,272,900 LBS SAND
--------------------

Formation	Top
COTTAGE GROVE	5381
HOGSHOOTER	5636
CHECKERBOARD	5752
CLEVELAND	5814
BIG LIME	5962
OSWEGO (4TH)	6090
PRUE	6140
VERDIGRIS	6176
SKINNER	6214
PINK LIME	6280
RED FORK	6309
INOLA	6354
MRMC	6395
MLM	6656

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

**Other Remarks**

THIS WELL IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" CASING AT 7005' TO TERMINUS AT 11,700'. THE 4 1/2" LINER IS NOT CEMENTED.  
OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION.

**Lateral Holes**

Sec: 22 TWP: 18N RGE: 5W County: KINGFISHER

NW NW NW NE

205 FNL 2624 FEL of 1/4 SEC

Depth of Deviation: 6472 Radius of Turn: 459 Direction: 357 Total Length: 4363

Measured Total Depth: 11700 True Vertical Depth: 6779 End Pt. Location From Release, Unit or Property Line: 205

Status: Accepted