

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073253700000

Completion Report

Spud Date: September 24, 2016

OTC Prod. Unit No.: 073-218098-0-0000

Drilling Finished Date: October 11, 2016

1st Prod Date: November 30, 2016

Completion Date: November 16, 2016

Drill Type: HORIZONTAL HOLE

Well Name: WHITE RABBIT 1506 2-27MH

Purchaser/Measurer:

Location: KINGFISHER 34 15N 6W
NW NE NW NW
203 FNL 795 FWL of 1/4 SEC
Latitude: 35.739871 Longitude: -97.831369
Derrick Elevation: 0 Ground Elevation: 1213

First Sales Date:

Operator: OKLAHOMA ENERGY ACQUISITIONS LP 23509

15021 KATY FWY STE 400
HOUSTON, TX 77094-1900

Completion Type		Location Exception		Increased Density	
X	Single Zone	Order No		Order No	
	Multiple Zone	655187		There are no Increased Density records to display.	
	Commingled	659999			

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16		X42	123		27	SURFACE
SURFACE	9 5/8	36	J55	473		300	SURFACE
INTERMEDIATE	7	29	P110	8082		285	2813

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5	P110	5091	0	0	7833	12924

Total Depth: 12925

Packer		Plug	
Depth	Brand & Type	Depth	Plug Type
7776	ASIII	There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Dec 29, 2016	MISSISSIPPIAN	160	39	90	563	743	JET PUMP		OPEN	1700

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN		Code: 359MSSP		Class: OIL	
Spacing Orders		Perforated Intervals			
Order No	Unit Size	From	To		
640610	640	There are no Perf. Intervals records to display.			
Acid Volumes		Fracture Treatments			
5362 BBLS HCL		296,098 BBLS SW; 5,892,889 LBS SAND			

Formation	Top
COTTAGE GROVE	6297
CHECKERBOARD	6660
OSWEGO (4TH)	7164
CHEROKEE	7233
PRUE	7260
VERDIGRIS	7281
SKINNER	7344
PINK LIME	7378
INOLA	7448
MRMC	7548
MLU4	7585

Were open hole logs run? No
 Date last log run:
 Were unusual drilling circumstances encountered? No
 Explanation:

Other Remarks
THIS WELL IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" CASING AT 7833' TO TERMINUS AT 12,925'. THE 4 1/2" LINER IS NOT CEMENTED. IRREGULAR SECTION.

Lateral Holes
Sec: 27 TWP: 15N RGE: 6W County: KINGFISHER NE NE NW NW 209 FNL 1120 FWL of 1/4 SEC Depth of Deviation: 7359 Radius of Turn: 922 Direction: 360 Total Length: 4308 Measured Total Depth: 12925 True Vertical Depth: 7878 End Pt. Location From Release, Unit or Property Line: 209

FOR COMMISSION USE ONLY

	1135520
--	---------

