PI NUMBER:	063 2 C	4644 il & Gas			CORPORAT CONSERVA P.O. BOX 5 OMA CITY, C (Rule 165:10	ATION DI\ 2000 K 73152-2	VISION		val Date: tion Date:	02/08/2017 08/08/2017	
					PERMIT TO	DRILL					
WELL LOCATIO	N: Sec:	36 Twp: 7N	Rge: 8E	County: HUGH	IES						
SPOT LOCATIO	N: NE	NE NE	NE	FEET FROM QUARTER: FROM	NORTH FROM	EAST					
			;	SECTION LINES:	200	260					
Lease Name	: STONE F	ΈLΥ		Well No:	36-6H		Well w	ill be 200 feet f	rom neares	st unit or lease boundary.	
Operator Name:	SILVE	R CREEK OIL & G	AS LLC		Telephone:	9725731630;	; 9725731	OTC/OCC N	lumber:	22726 0	
SII VER	CREEK	OIL & GAS LL	C								
		HUR BLVD S				ELIZABETH PERRY					
						205	E HIGHWAY				
IRVING,	,		TX 7	75038-2665		HOLDENVILLE		OK 74848			
1 2 3 4 5 Spacing Orders:	Name MISSISSI WOODFC HUNTON SYLVAN VIOLA	ORD		Depth 4278 4564 4727 4727 4752 Location Exception	Orders:	Na 6 7 8 9 10	ame	Increased Densit	Depth	h	
	. No Spa	cing	-				_		, 0100101		
Pending CD Nu		201700015 201700016						Special Orders:			
Total Depth:	10219	Ground Ele	evation: 809	Surface (Casing: 250		I	Depth to base of Trea	table Water	-Bearing FM: 170	
Under Feder	al Jurisdictio	on: No		Fresh Water	Supply Well Drille				ice Water u	sed to Drill: No	
PIT 1 INFORM	IATION					Approved Met	thod for disposal of	f Drilling Fluids:			
Type of Pit Sys						A. Evaporatio	on/dewater and ba	ckfilling of reserve pit.			
Type of Mud S											
Chlorides Max:		0					ommercial soil farm	ning facility: Sec. 22 T	wn. 2N Rng	. 9E Cnty. 29 Order No:	
Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N						537817					
						H. SEE MEN	NO				
Wellhead Prote			ive Area		-						
		ydrologically Sensit	we Alea.								
Category of Pi											
Liner required	-										
Pit Location is											
Pit Location Fo	mation:	WEWOKA									

PIT 2 INFORMATION Type of Pit System: ON SITE Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: 3 Liner required for Category: 3

Pit Location is BED AQUIFER Pit Location Formation: WEWOKA

HORIZONTAL HOLE 1

Sec	36	Twp	7N	Rge	8E		County	HUGHES
Spot	Locatior	of En	d Point:	SV	N	SE	SE	SE
Feet	From:	SOL	JTH 1	/4 Sec	ctior	l Line	e: 1	
Feet	From:	EAS	ST 1	/4 Se	ctior	n Line	e: 4	40
Depth of Deviation: 4100								
Radius of Turn: 712								
Direction: 359								
Total Length: 5000								
Measured Total Depth: 10219								
True Vertical Depth: 5850								
End Point Location from Lease,								
Unit, or Property Line: 1								

Notes:	
Category	Description
HYDRAULIC FRACTURING	1/26/2017 - G71 - OCC 165:10-3-10 REQUIRES: 1) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS BE REPORTED TO FRACFOCUS USING THE FOLLOWING LINK HTTP://FRACFOCUS.ORG/ WITH NOTICE GIVEN 48 HOURS IN ADVANCE OF FRACTURING TO THE LOCAL OCC DISTRICT OFFICE; AND, 2) PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE ALSO GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE
МЕМО	1/26/2017 - G71 - PIT 1 - SOIL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING SOIL PIT LINER, PIT 2 - 20-MIL PIT LINER REQUIRED, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 201700015	2/8/2017 - G60 - (640)(HOR) 36-7N-8E EST MSSP, WDFD, HNTN, SLVN, VIOL POE TO BHL (MSSP, HNTN, VIOL) NLT 660' FB POE TO BHL (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL POE TO BHL (SLVN) NLT 330' FB (COEXIST WITH SP. ORDER 306404 VIOL) REC. 1/24/17 (THOMAS)
PENDING CD - 201700016	2/8/2017 - G60 - (I.O.) 36-7N-8E X201700015 MSSP, WDFD, HNTN, SLVN, VIOL COMPL. INT. NCT 165' FNL, NCT 165' FSL, NCT 165' FEL NO OP. NAMED REC. 1/24/17 (THOMAS)

