Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

API No.: 35017248450000

OTC Prod. Unit No.: 017-217901

Completion Report

Spud Date: December 15, 2015

Drilling Finished Date: March 16, 2016 1st Prod Date: October 27, 2016 Completion Date: October 27, 2016

Purchaser/Measurer: XEC

First Sales Date: 10/27/2016

Drill Type: HORIZONTAL HOLE

Well Name: NANCY 5-27H

Location: CANADIAN 27 13N 9W NW NE NW NW 300 FNL 884 FWL of 1/4 SEC Latitude: 35.579521 Longitude: -98.151049 Derrick Elevation: 0 Ground Elevation: 1477

Operator: CIMAREX ENERGY CO 21194

202 S CHEYENNE AVE STE 1000 TULSA, OK 74103-3001

	Completion Type	Location Exception	Increased Density			
Х	Single Zone	Order No	Order No			
	Multiple Zone	659471	642508			
	Commingled	659473				

Casing and Cement										
Т	уре	Siz	Size Weight Grade Feet PS		PSI	SAX	Top of CMT			
SURFACE		13 :	3/8 54.5	J55	1510		2500	940	SURFACE	
INTERMEDIATE		9 5	6/8 40	L80	103	358	4000	810	7730	
PRODUCTION		5 1	/2 23	P110	172	17242		2090	8700	
				Liner						
Туре	Size	Weight	Grade	Length	PSI	SAX	Тор	Depth	Bottom Depth	
I			There are	no Liner reco	rds to displ	ay.			1	

Total Depth: 17251

Pac	ker	Plug			
Depth	Brand & Type	Depth	Plug Type		
There are no Packe	r records to display.	There are no Plug	records to display.		

Initial Test Data

Test Date	st Date Formation		Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure
Nov 21, 2016	WOODFORD	76	58	1666	21921	2089	FLOWING	4116	18/64	
		Con	npletion and	l Test Data k	by Producing F	ormation				
	Formation Name: WOO	DFORD		Code: 31	9WDFD	С	lass: GAS			
	Spacing Orders				Perforated I	ntervals				
Order	No U	Init Size		Fron	n	T	ō	-		
579550 640		640		1241	3	17	239	-		
	Acid Volumes				Fracture Tre	atments				
There ar	e no Acid Volume records	to display.		13087998 GALLONS TOTAL FLUID 15940814 LBS OF SAND						
Formation		т	ор		/ere open hole l	ogs run? No				
WOODFORD				12403 Date last log run:						
					/ere unusual dri xplanation:	lling circums	tances encou	Intered? No		
Other Remarks	3									
IRREGULAR SE	ECTION.									
				Lateral F						
Sec: 27 TWP: 1	3N RGE: 9W County: CAN			Laterari						
SW SE SE										
152 FSL 2033 FWL of 1/4 SEC										
	ion: 11813 Radius of Turn	: 552 Directio	n: 181 Total	Length: 4493	3					
	Depth: 17251 True Vertica					or Property I	_ine: 152			

FOR COMMISSION USE ONLY

Status: Accepted

1135785

3/1/17

Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

Completion Report

API No.: 35017248450000

OTC Prod. Unit No.: 017-217901

A: 217901 I

Drill Type: HORIZONTAL HOLE

Well Name: NANCY 5-27H

Location: CANADIAN 27 13N 9W NW NE NW NW 300 FNL 884 FWL of 1/4 SEC Latitude: 35.579521 Longitude: -98.151049 Derrick Elevation: 0 Ground Elevation: 1477

Operator: CIMAREX ENERGY CO 21194

202 S CHEYENNE AVE STE 1000 TULSA, OK 74103-3001 Spud Date: December 15, 2015 Drilling Finished Date: March 16, 2016 1st Prod Date: October 27, 2016 Completion Date: October 27, 2016

Purchaser/Measurer: XEC

First Sales Date: 10/27/2016

	Completion Type	Location Exception	Increased Density		
X	Single Zone	Order No	Order No		
	Multiple Zone	659471	642508		
	Commingled	659473			

642569 ; sep, allow.

Casing and Cement										
-	Гуре		Size	Weight Grade Feet		et	PSI	SAX	Top of CMT	
SURFACE			13 3/8	54.5	J55	1510		2500	940	SURFACE
INTERMEDIATE		9 5/8	40	L80	103	358	4000	810	7730	
PRODUCTION		5 1/2	23	P110	172	17242		2090	8700	
Liner										
Type Size Weig			ght	Grade	Length	PSI	SAX	Тор	Depth	Bottom Depth
				There are	no Liner record	ds to displa	ay.			1

Total Depth: 17251

1 of 2

Pad	cker		Plug
Depth Brand & Type		Depth	Plug Type
There are no Packe	r records to display.	There are no	Plug records to display.

Initial Test Data

11/21/16 319WDFD 4116

February 22, 2017

Form 1002A

1016EZ