## Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

API No.: 35011236260000

OTC Prod. Unit No.: 011218515

### **Completion Report**

Spud Date: August 13, 2016

Drilling Finished Date: November 01, 2016 1st Prod Date: December 16, 2016 Completion Date: January 21, 2017

Drill Type: HORIZONTAL HOLE

Well Name: TRACE TILLMAN BIA 1-20-17XH

BLAINE 20 15N 13W Location: NE SW SW SW 625 FSL 375 FWL of 1/4 SEC Derrick Elevation: 0 Ground Elevation: 1649

MARATHON OIL COMPANY 1363 Operator:

> 5555 SAN FELIPE ST HOUSTON, TX 77056-2701

Purchaser/Measurer: MARATHON OIL

First Sales Date: 12/16/2016

	Completion Type	Location Exception	Increased Density			
Х	Single Zone	Order No	Order No			
	Multiple Zone	655214	653973			

Commingled

Casing and Cement											
Т	Туре		Size	Weight	Grade	Grade Feet		et PSI SA		Top of CMT	
SUF	SURFACE		13 3/8	54.50	J-55	1488		1488		SURFACE	
INTER	INTERMEDIATE 9 5/8 40 P100 HC		102	10242		465	7905				
PROD	PRODUCTION		5 1/2	23	P100 HC	22736		4525		16877	
Liner											
Туре	pe Size Weight Grade		Length	PSI	SAX	Тор	Depth	Bottom Depth			
There are no Liner records to display.											

## Total Depth: 22778

	Packer	Plug					
Depth	Brand & Type	Depth	Plug Type				
There are no Pa	acker records to display.	20241	COMPOSITE FRAC PLUG				
		20454	COMPOSITE FRAC PLUG				
		20668	COMPOSITE FRAC PLUG				
		20881	COMPOSITE FRAC PLUG				

				Initial Tes	st Data					
Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubin Pressure
Jan 26, 2017	MISSISSIPPIAN	SISSIPPIAN 170		6760	39765	304	FLOWING	4368	19/64	
		Cor	npletion and	Test Data	by Producing F	ormation				
	Formation Name: MISS	ISSIPPIAN		Code: 35	59MSSP	C	lass: GAS			
Spacing Orders				Perforated Intervals						
Order No Unit Size				From To		Го	1			
There are no Spacing Order records to display.				13219 22671			671			
	Acid Volumes		Fracture Treatments							
3,500 GLAS ACID				345,267 BBLS FLUID 15,907,258 BBLS PROP						
Formation		Ιτ	ор							
MISSISSIPPIAN			•		Were open hole logs run? No 77 Date last log run:					

13059Were unusual drilling circumstances encountered? No13155Explanation:

#### Other Remarks

WOODFORD

HUNTON

OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED. IRREGULAR SECTION.

Lateral Holes

Sec: 17 TWP: 15N RGE: 13W County: BLAINE

NE NW NW NW

54 FNL 368 FWL of 1/4 SEC

Depth of Deviation: 11867 Radius of Turn: 1624 Direction: 360 Total Length: 9859

Measured Total Depth: 22778 True Vertical Depth: 12148 End Pt. Location From Release, Unit or Property Line: 54

# FOR COMMISSION USE ONLY

Status: Accepted

1135908

Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000 Rule 165: 10-3-25

Form 1002A

1016EZ

Spud Date: August 13, 2016 API No.: 35011236260000 **Completion Report** OTC Prod. Unit No.: 011218515 Drilling Finished Date: November 01, 2016 011-218215-1st Prod Date: December 16, 2016 Completion Date: January 21, 2017 Drill Type: HORIZONTAL HOLE Purchaser/Measurer: MARATHON OIL Well Name: TRACE TILLMAN BIA 1-20-17XH First Sales Date: 12/16/2016 BLAINE 20 15N 13W Location: NE SW SW SW 625 FSL 375 FWL of 1/4 SEC <u>Multiunit</u>: Sec. 20: 45.85% 218215 I Sec. 17: 54.15% 2182157 I Derrick Elevation: 0 Ground Elevation: 1649 Operator: MARATHON OIL COMPANY 1363 5555 SAN FELIPE ST HOUSTON, TX 77056-2701 **Increased Density Completion Type** Location Exception Х Single Zone Order No Order No 653973 655214 Multiple Zone Commingled Mutthent FO: **Casing and Cement** PSI SAX Top of CMT Feet Туре Size Weight Grade 663216 SURFACE SURFACE 54.50 J-55 1488 960 13 3/8 7905 P100 HC 10242 465 INTERMEDIATE 9 5/8 40 4525 PRODUCTION 5 1/2 23 P100 HC 22736 16877 Liner **Bottom Depth** SAX **Top Depth** Size Weight Grade Length PSI Type There are no Liner records to display.

#### Total Depth: 22778

Plug						
Depth	Plug Type					
20241	COMPOSITE FRAC PLUG					
20454	COMPOSITE FRAC PLUG					
20668	COMPOSITE FRAC PLUG					
20881	COMPOSITE FRAC PLUG					

Packer Depth Brand & Type There are no Packer records to display.

1/26/17 359MSSP 4368

1 of 2 F-1004 fc