API NUMBER: 071 24870

Straight Hole

Oil & Gas

## OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 04/10/2017
Expiration Date: 10/10/2017

PERMIT TO DRILL

 WELL LOCATION:
 Sec:
 33
 Twp:
 25N
 Rge:
 1W
 County:
 KAY

 SPOT LOCATION:
 NE
 NE
 NW
 SE
 FEET FROM QUARTER:
 FROM
 SOUTH
 FROM

 NE
 NE
 NW
 SE
 FEET FROM QUARTER: FROM SOUTH FROM WEST

 SECTION LINES:
 2475
 1270

Lease Name: STORMY Well No: 6 Well will be 50 feet from nearest unit or lease boundary.

 Operator Name:
 DONRAY PETROLEUM LLC
 Telephone:
 4054184348; 4054184
 OTC/OCC Number:
 21690 0

DONRAY PETROLEUM LLC 2525 NW EXPRESSWAY STE 640

OKLAHOMA CITY, OK 73112-7230

MICHAEL E. & DOROTHY L. MCANINCH 1400 EAST NORTH AVENUE

Approved Method for disposal of Drilling Fluids:

A. Evaporation/dewater and backfilling of reserve pit.

D. One time land application -- (REQUIRES PERMIT)

TONKAWA OK 74653

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth NEWKIRK 1 1600 6 OREAD 2170 2 PAWHUSKA 1850 7 **ENDICOTT** 2300 3 HOOVER 1900 8 LOVELL 2400 ELGIN TONKAWA 2550 2050 9 CARMICHAEL 2150 10

Spacing Orders: 647452 Location Exception Orders: 662209 Increased Density Orders:

Pending CD Numbers: 201700933 Special Orders:

Total Depth: 2800 Ground Elevation: 981 Surface Casing: 290 Depth to base of Treatable Water-Bearing FM: 240

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: WATER BASED Chlorides Max: 4000 Average: 2000

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: 2

Liner not required for Category: 2
Pit Location is BED AQUIFER
Pit Location Formation: WELLINGTON

Notes:

Office of the Conservation Division as to when Surface Casing will be run.

PERMIT NO: 17-32384

Category Description

HYDRAULIC FRACTURING 4/6/2017 - G71 - OCC 165:10-3-10 REQUIRES: 1) THE CHEMICAL DISCLOSURE OF HYDRAULIC

FRACTURING INGREDIENTS FOR ALL WELLS BE REPORTED TO FRACFOCUS USING THE FOLLOWING LINK HTTP://FRACFOCUS.ORG/ WITH NOTICE GIVEN 48 HOURS IN ADVANCE OF FRACTURING TO THE LOCAL OCC DISTRICT OFFICE; AND, 2) PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE ALSO GIVEN FIVE BUSINESS

DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME

COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE

LOCATION EXCEPTION - 662209 4/10/2017 - G75 - NW4 SE4 33-25N-1W

X647452 NKRK, PHSK, HOVR, ELGN, CMCL, ORED, ENDC, LVLL, TNKW, OTHERS

165' FNL, 50' FEL NO OP. NAMED

3-27-2017

PENDING CD - 201700933 4/10/2017 - G75 - NW4 SE4 33-25N-1W

X647452 TNKW

1 WELL

NO OP. NAMED

REC 3-20-2017 (JOHNSON)

SPACING - 647452 4/10/2017 - G75 - (40) 33-25N-1W

**VAC OTHERS** 

VAC 509031 NKRK, PHSK, HOVR, ELGN, CMCL, ENDC, LVLL, TNKW, OTHER SE4 EST NKRK, PHSK, HOVR, ELGN, CMCL, ORED, ENDC, LVLL, TNKW, OTHERS SE4

**EST OTHERS** 

## WELL LOCATION PLAT


API 071-24870

COMPANY: DONRAY PETROLEUM L.L.C. LEASE: TONKAWA SANDSTONE PRODUCER WELL NO. STORMY #6

QUARTER: SOUTHEAST SECTION: 33 TOWNSHIP: 25 NORTH RANGE: 1 WEST MERIDIAN: INDIAN

COUNTY: KAY STATE: OKLAHOMA LOCATION: 2475' FSL 1320' FWL ELEVATION: 981' (NGVD29)

LATITUDE: 36°36'02.41" N LONGITUDE: 97°18'19.13" W ACCURACY ±2-3 METERS STAKED: 02-12-17



DISTANCES SHOWN ARE BASED ON THE QUARTER SECTION BEING 2640 FEET. ACTUAL SECTION LINE DISTANCES HAVE NOT BEEN MEASURED. THIS PLAT DOES NOT REPRESENT A BOUNDARY SURVEY.

THIS LOCATION HAS BEEN CAREFULLY STAKED, UTILIZING THE BEST AVAILABLE SURVEY RECORDS, MAPS, PHOTOGRAPHS AND EQUIPMENT. HOWEVER, ITS EXACT POSITION IS NOT GUARANTEED.

WELL LOCATION SECTION 33, T-25-N, R-1-W 02-12-17 PC17-06D SHEET 1 OF 1

ALAN ALTMAN SURVEYING
P.O. BOX 122
PONCA CITY, OK 74601
580 765 4561
C.A. # PENDING

## CERTIFICATE OF SURVEY

I HEREBY CERTIFY THAT A SURVEY WAS MADE UNDER MY SUPERVISION OF THE ABOVE DESCRIBED WELL LOCATION AND THAT THIS PLAT IS A TRUE AND CORRECT REPRESENTATION OF SAID SURVEY.

