API NUMBER: 011 23798

Chlorides Max: 8000 Average: 5000

Pit Location is BED AQUIFER Pit Location Formation:

MARLOW

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 05/10/2017 11/10/2017 **Expiration Date:**

375 feet from nearest unit or lease boundary.

1363 0

E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

		PERMIT TO DRILL	
WELL LOCATION: Sec: 13 Twp: 14N SPOT LOCATION: NW SE SE	Rge: 12W County: BLA SE FEET FROM QUARTER: FROM SECTION LINES:	SOUTH FROM EAST 400 375	
Lease Name: TURTLE WOMAN BIA	Well No:	1-18H	Well will be 375 feet from nearest unit or lease
Operator MARATHON OIL COMPA Name:	ANY	Telephone: 7132962003	OTC/OCC Number: 1363
MARATHON OIL COMPANY 5555 SAN FELIPE ST HOUSTON,	TX 77056-2701	BUREAU (P. O. BOX EL RENO	DF INDIAN AFFAIRS, CONCHO AGENCY 68 OK 73036

Formation(s) (Permit Valid for Listed Formations Only): Name Depth Name Depth 1 MISSISSIPPIAN 12742 6 2 7 3 8 9 4 10 593373 Location Exception Orders: Spacing Orders: Increased Density Orders: Pending CD Numbers: 201702187 Special Orders: Total Depth: 17664 Ground Elevation: 1616 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 100 Under Federal Jurisdiction: Yes Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids: Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED

H. SEE MEMO Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? is located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: MARLOW

HORIZONTAL HOLE 1

Sec 18 Twp 14N Rge 11W County BLAINE NW Spot Location of End Point: N2 NW NW Feet From: NORTH 1/4 Section Line: 150 Feet From: WEST 330 1/4 Section Line:

Depth of Deviation: 12280 Radius of Turn: 462

Direction: 3

Total Length: 4658

Measured Total Depth: 17664

True Vertical Depth: 12999

End Point Location from Lease,
Unit, or Property Line: 150

Notes:

Category Description

DEEP SURFACE CASING 5/4/2017 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 5/4/2017 - G71 - OCC 165:10-3-10 REQUIRES: 1) THE CHEMICAL DISCLOSURE OF HYDRAULIC

FRACTURING INGREDIENTS FOR ALL WELLS BE REPORTED TO FRACFOCUS USING THE FOLLOWING LINK HTTP://FRACFOCUS.ORG/ WITH NOTICE GIVEN 48 HOURS IN ADVANCE OF FRACTURING TO THE LOCAL OCC DISTRICT OFFICE; AND, 2) PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE ALSO GIVEN FIVE BUSINESS

DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME

COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE

INTERMEDIATE CASING 5/4/2017 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

MEMO 5/4/2017 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201702187 5/4/2017 - G60 - (I.O) 18-14N-11W

X593376 MSSP

COMPL. INT. NCT 165' FNL, NCT 165' FSL, NCT 330' FWL

NO OP. NAMED REC. 5/8/17 (DUNN)

SPACING - 593373 5/4/2017 - G60 - (640) 18-14N-11W

VAC 287073 CSTR

EXT 579287 MSSP, OTHERS

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

