

Oklahoma Corporation Commission
 Oil & Gas Conservation Division
 Post Office Box 52000
 Oklahoma City, Oklahoma 73152-2000
 Rule 165: 10-3-25

Form 1002A

API No.: 35073254610000

Completion Report

Spud Date: December 29, 2016

OTC Prod. Unit No.: 073-218542-0-0000

Drilling Finished Date: January 13, 2017

1st Prod Date: March 25, 2017

Completion Date: February 16, 2017

Drill Type: HORIZONTAL HOLE

Well Name: RED QUEEN 1506 1-1MH

Purchaser/Measurer:

Location: KINGFISHER 1 15N 6W
 SE SE SW SW
 204 FSL 1160 FWL of 1/4 SEC
 Latitude: -97.79421 Longitude: 35.79883
 Derrick Elevation: 0 Ground Elevation: 1136

First Sales Date:

Operator: OKLAHOMA ENERGY ACQUISITIONS LP 23509

15021 KATY FREEWAY STE 400
 HOUSTON, TX 77094-1900

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
658381	

Increased Density	
Order No	
There are no Increased Density records to display.	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16		X42	123		27	SURFACE
SURFACE	9 5/8	36#	J55	399		300	SURFACE
INTERMEDIATE	7	29#	P110	7722		285	4924

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	13.5#	P110	4257	0	0	7581	

Total Depth: 11903

Packer	
Depth	Brand & Type
7540	ASIII

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Apr 23, 2017	MISSISSIPPIAN (EX CHESTER)	355	39	1065	3000	1100	GAS LIFT		OPEN	213

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN (EX CHESTER) Code: 459MSNLC Class: OIL

Spacing Orders

Order No	Unit Size
657499	640

Perforated Intervals

From	To
There are no Perf. Intervals records to display.	

Acid Volumes

4,696 BBLS

Fracture Treatments

268,081 BBLS WATER, 5,159,850 LBS SAND
--

Formation	Top
OSWEGO LS	6761
OSWEGO 4TH	6802
CHEROKEE SHALE	6877
PRUE	6891
VERDIGRIS	6930
SKINNER SS	6966
PINK LIME	7046
INOLA LS	7135
MISSISSIPPI	7181
MLM	7473

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

THIS WELL IS AN OPEN HOLE COMPLETION FROM THE BOTTOM OF THE 7" CASING @ 7722' TO TERMINUS @ 11903'.
OCC: FLE ORDER HAS NOT BEEN ISSUED. WE HAVE ACCEPTED OPERATORS DATA AS SUBMITTED.
IRREGULAR SECTION.

Lateral Holes

Sec: 1 TWP: 15N RGE: 6W County: KINGFISHER

NE SE NW NW

850 FNL 1118 FWL of 1/4 SEC

Depth of Deviation: 7025 Radius of Turn: 542 Direction: 360 Total Length: 4008

Measured Total Depth: 11903 True Vertical Depth: 7583 End Pt. Location From Release, Unit or Property Line: 850

FOR COMMISSION USE ONLY

1136487

Status: Accepted

