

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35073255360000

Completion Report

Spud Date: March 14, 2017

OTC Prod. Unit No.:

Drilling Finished Date: March 30, 2017

1st Prod Date: September 15, 2017

Completion Date: August 17, 2017

Drill Type: HORIZONTAL HOLE

Well Name: EAST HENNESSEY UNIT 239H

Purchaser/Measurer:

Location: KINGFISHER 9 19N 6W
NE NE NW NW
235 FNL 1210 FWL of 1/4 SEC
Latitude: 36.144891 Longitude: -97.849393
Derrick Elevation: 0 Ground Elevation: 1115

First Sales Date:

Operator: HINKLE OIL & GAS INC 21639

5600 N MAY AVE STE 295
OKLAHOMA CITY, OK 73112-4275

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
There are no Location Exception records to display.	

Increased Density	
Order No	
There are no Increased Density records to display.	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	16			125		10	SURFACE
SURFACE	9 5/8	36	J-55	425		300	SURFACE
PRODUCTION	7	29	P-110	7045		285	5360

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
LINER	4 1/2	11.6	P-110	6044	0	0	6841	12885

Total Depth: 12886

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
There are no Plug records to display.	

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Oct 26, 2017	MISSISSIPPIAN SOLID	441	43.3	181	410	1040	FLOWING			130

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN SOLID

Code: 359MSSSD

Class: OIL

Spacing Orders

Order No	Unit Size
61709	UNIT

Perforated Intervals

From	To
There are no Perf. Intervals records to display.	

Acid Volumes

219,366 GALLONS 15% HCL

Fracture Treatments

291,818 BARRELS SLICK WATER, 6,419,720 POUNDS SAND
--

Formation	Top
CHECKERBOARD	5920
CLEVELAND	6008
BIG LIME	6075
2ND OSWEGO	6154
3RD OSWEGO	6171
4TH OSWEGO	6220
VERDIGRIS	6299
PINK LIME	6413
RED FORK	6449
MANNING	6589
MISSISSIPPI	6843

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC - THIS WELL IS AN OPEN HOLE COMPLETION FROM BOTTOM OF THE 7" CASING AT 7,045' TO TERMINUS AT 12,886'. THE 4 1/2" LINER IS NOT CEMENTED. THIS WELL IS AT A LEGAL LOCATION FOR THE UNIT.

Lateral Holes

Sec: 9 TWP: 19N RGE: 6W County: KINGFISHER

SE SW SE SW

1 FSL 1741 FWL of 1/4 SEC

Depth of Deviation: 6711 Radius of Turn: 1070 Direction: 179 Total Length: 5104

Measured Total Depth: 12886 True Vertical Depth: 7262 End Pt. Location From Release, Unit or Property Line: 1

FOR COMMISSION USE ONLY

Status: Accepted

1138044

December 04, 2017

2 of 3

