

Oklahoma Corporation Commission
 Oil & Gas Conservation Division
 Post Office Box 52000
 Oklahoma City, Oklahoma 73152-2000
 Rule 165: 10-3-25

Form 1002A

API No.: 35047248430000

Completion Report

Spud Date: April 25, 2014

OTC Prod. Unit No.: 047-21091

Drilling Finished Date: May 02, 2014

1st Prod Date: July 14, 2014

Completion Date: July 14, 2014

Drill Type: STRAIGHT HOLE

Well Name: OBERLANDER 2-26

Purchaser/Measurer:

Location: GARFIELD 26 22N 4W
 S2 NE NE NE
 2210 FSL 2310 FWL of 1/4 SEC
 Derrick Elevation: 0 Ground Elevation: 1092

First Sales Date:

Operator: DAKOTA EXPLORATION LLC 22446

110 W 7TH ST STE 210
 TULSA, OK 74119-1031

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
There are no Location Exception records to display.

Increased Density
Order No
There are no Increased Density records to display.

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	8 5/8	24	J-55	341		240	SURFACE
PRODUCTION	5 1/2	15.5	J-55	5080		320	1350

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 5122

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
4776	CIBP
4850	CIBP

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
May 12, 2014	WILCOX		40			1000	SWABBIN			
May 14, 2014	VIOLA		40	10	5	25	SWABBIN	25		
Jul 14, 2014	OSWEGO	8	38	40	4	10	PUMPING	60		

Completion and Test Data by Producing Formation

Formation Name: WILCOX

Code: 202WLCX

Class: DRY

Spacing Orders

Order No	Unit Size
There are no Spacing Order records to display.	

Perforated Intervals

From	To
4860	4880

Acid Volumes

1,000 GALLONS 7.5% HCL

Fracture Treatments

NO

Formation Name: VIOLA

Code: 202VIOL

Class: DRY

Spacing Orders

Order No	Unit Size
There are no Spacing Order records to display.	

Perforated Intervals

From	To
4786	4812

Acid Volumes

1,500 GALLONS 15% HCL

Fracture Treatments

NO

Formation Name: OSWEGO

Code: 404OSWG

Class: OIL

Spacing Orders

Order No	Unit Size
There are no Spacing Order records to display.	

Perforated Intervals

From	To
4492	4552

Acid Volumes

1,000 GALLONS 15% HCL

Fracture Treatments

There are no Fracture Treatments records to display.

Formation	Top
LOWER TONKAWA	3308
COTTAGE GROVE	3938
OSWEGO	4424
WOODFORD SHALE	4736
VIOLA LIMESTONE	4785
1ST WILCOX	4832
2ND WILCOX	4914

Were open hole logs run? Yes

Date last log run: May 02, 2014

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC - OPERATOR TESTED WILCOX WITHOUT PERMIT ADDRESSED IN CONTEMPT. ALSO, SURFACE CASING SHORTED BY 9' ADDRESSED IN CONTEMPT.

FOR COMMISSION USE ONLY

1138538

Status: Accepted