

OKLAHOMA CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
P.O. BOX 52000  
OKLAHOMA CITY, OK 73152-2000  
(Rule 165:10-3-1)

API NUMBER: 017 25400

Approval Date: 02/26/2019  
Expiration Date: 08/26/2020

Horizontal Hole Oil & Gas  
Multi Unit

PERMIT TO DRILL

WELL LOCATION: Sec: 15 Twp: 14N Rge: 7W County: CANADIAN  
SPOT LOCATION:  NW  NE  NW  NE FEET FROM QUARTER: FROM NORTH FROM EAST  
SECTION LINES: 250 1927

Lease Name: PETERS 1407 Well No: 5H-15X Well will be 250 feet from nearest unit or lease boundary.

Operator Name: NEWFIELD EXPLORATION MID-CON INC Telephone: 2812105100; 9188781 OTC/OCC Number: 20944 0

NEWFIELD EXPLORATION MID-CON INC  
24 WATERWAY AVE ST 900  
THE WOODLANDS, TX 77380-2764

JEFFREY & KATHY KLADE  
17851 N. ALFADALE ROAD  
OKARCHE OK 73762

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	8355	6	
2	WOODFORD	8856	7	
3			8	
4			9	
5			10	

Spacing Orders: 621416 Location Exception Orders: 691043 Increased Density Orders: 689950  
691042 691446 690775  
689951  
690776

Pending CD Numbers:

Special Orders:

Total Depth: 19538 Ground Elevation: 1147 **Surface Casing: 1500** Depth to base of Treatable Water-Bearing FM: 260

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: DUNCAN

Approved Method for disposal of Drilling Fluids:

E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

H. SEE MEMO

This permit does not address the right of entry or settlement of surface damages.  
The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.  
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: DUNCAN

HORIZONTAL HOLE 1

Sec 22 Twp 14N Rge 7W County CANADIAN

Spot Location of End Point: SW SE SW SE

Feet From: SOUTH 1/4 Section Line: 85

Feet From: EAST 1/4 Section Line: 1654

Depth of Deviation: 8069

Radius of Turn: 715

Direction: 178

Total Length: 10345

Measured Total Depth: 19538

True Vertical Depth: 9047

End Point Location from Lease,  
Unit, or Property Line: 85

Notes:

Category

Description

DEEP SURFACE CASING

1/24/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING

EXCEPTION TO RULE - 691446

2/25/2019 - G56 - (I.O.) 15 & 22-14N-7W  
X165:10-3-28(C)(2)(B) WDFD MAY BE CLOSER THAN 600' TO PETERS 1H-15X, ZUM MALLEN H 1, ZUM MALLEN B 1 AND/OR PROPOSED WELLS  
NEWFIELD EXPLOR. MID-CONT. INC.  
2/14/2019

HYDRAULIC FRACTURING

1/24/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: [OCCEWEB.COM/OG/OGFORMS.HTML](http://OCCEWEB.COM/OG/OGFORMS.HTML); AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: [FRACFOCUS.ORG](http://FRACFOCUS.ORG)

INCREASED DENSITY - 689950

2/25/2019 - G56 - 15-14N-7W  
X621416 WDFD  
7 WELLS  
NEWFIELD EXPLOR. MID-CONT. INC.  
1/17/2019

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

017 25400 PETERS 1407 5H-15X

Category	Description
INCREASED DENSITY - 689951	2/25/2019 - G56 - 22-14N-7W X621416 WDFD 7 WELLS NEWFIELD EXPLOR. MID-CONT. INC. 1/17/2019
INCREASED DENSITY - 690775	2/25/2019 - G56 - 15-14N-7W X621416 MSSP 6 WELLS NEWFIELD EXPLOR. MID-CONT. INC. 2/1/2019
INCREASED DENSITY - 690776	2/25/2019 - G56 - 22-14N-7W X621416 MSSP 6 WELLS NEWFIELD EXPLOR. MID-CONT. INC. 2/1/2019
LOCATION EXCEPTION - 691043	2/25/2019 - G56 - (I.O.) 15 & 22-14N-7W X621416 MSSP, WDFD, OTHER 15 & 22-14N-7W COMPL INT (15-14N-7W) NCT 0' FSL, NCT 165' FNL, NCT 1320' FEL COMPL INT (22-14N-7W) NCT 0' FNL, NCT 165' FSL, NCT 1320' FEL NEWFIELD EXPLOR. MID-CONT. INC. 2/6/2019
MEMO	1/24/2019 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST, WBM/CUTTINGS & OBM CUTTINGS CAPTURED IN STEEL HALF PITS, WBM/CUTTINGS & OBM CUTTINGS TRANSFERRED TO R360 587498 (31-12N-8W), CANADIAN CO OR DEQ APPROVED FACILITY (SOUTHERN PLAINS LANDFILL, 3-5N-6W, GRADY CO., # 3526013); PIT 2 - OBM TO VENDOR
SPACING - 621416	2/25/2019 - G56 - (640)(HOR) 15 & 22-14N-7W VAC 149833 MISS, OTHER NW4 & S2 15-14N-7W VAC 149833 MISS, OTHER SW4 & N2 22-14N-7W VAC 170593 MCSTR, WDFD 15 & 22-14N-7W VAC 171393 MCSTR 15-14N-7W EXT 604466 MSSP, WDFD, OTHER POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL POE TO BHL (MSSP) NLT 660' FB (SUPERSEDE NON-DEVELOPED NON-HORIZONTAL SPACING UNITS; COEXIST SP. ORDER # 149833 MISS, OTHER NE4 15 & SE4 22-14N-7W)
SPACING - 691042	2/25/2019 - G56 - (I.O.) 15 & 22-14N-7W ESTABLISH MULTIUNIT HORIZONTAL WELL X621416 MSSP, WDFD, OTHER 15 & 22-14N-7W (MSSP, WDFD ARE TARGETED RESERVOIRS) 50% 15-14N-7W 50% 22-14N-7W NEWFIELD EXPLOR. MID-CONT. INC. 2/6/2019

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

# PERMIT PLAT

M & M Land Surveying, Inc.  
 Phone (580) 226-0446  
 520 E Street N.W.  
 Ardmore, OK 73401

Company Name: **NEWFIELD EXPLORATION MID-CONTINENT INC.**


Lease Name: **PETERS 1407 5H-15X**

Section 15 Township 14 N Range 7 W , I.B.M, County of Canadian, State of Oklahoma  
 Elevation Good Location?

Original Location: 250'FNL - 1927'FEL 1147' GROUND YES

Distance & Direction From Nearest Town: 3.3 miles Southeast of Okarche

SURFACE LOCATION		LANDING POINT	
DATUM: NAD27		DATUM: NAD27	
LAT: 35° 41' 45.76"N	LONG: 97° 55' 46.91"W	LAT: 35° 41' 46.61"N	LONG: 97° 55' 43.60"W
LAT: 35.696045°N	LONG: 97.929698°W	LAT: 35.696280°N	LONG: 97.928778°W
Y (N): 253373.72	X (E): 2020875.84	Y (N): 253459.41	X (E): 2021148.79
DATUM: NAD83		DATUM: NAD83	
LAT: 35° 41' 45.93"N	LONG: 97° 55' 48.09"W	LAT: 35° 41' 46.78"N	LONG: 97° 55' 44.78"W
LAT: 35.696093°N	LONG: 97.930026°W	LAT: 35.696328°N	LONG: 97.929107°W
Y (N): 253397.65	X (E): 1989277.78	Y (N): 253483.34	X (E): 1989550.73
LAST TAKE POINT		BOTTOM HOLE	
DATUM: NAD27		DATUM: NAD27	
LAT: 35° 40' 05.09"N	LONG: 97° 55' 43.82"W	LAT: 35° 40' 04.30"N	LONG: 97° 55' 43.82"W
LAT: 35.668081°N	LONG: 97.928838°W	LAT: 35.667861°N	LONG: 97.928839°W
Y (N): 243194.69	X (E): 2021138.55	Y (N): 243114.69	X (E): 2021138.43
DATUM: NAD83		DATUM: NAD83	
LAT: 35° 40' 05.26"N	LONG: 97° 55' 45.00"W	LAT: 35° 40' 04.47"N	LONG: 97° 55' 45.00"W
LAT: 35.668129°N	LONG: 97.929166°W	LAT: 35.667909°N	LONG: 97.929167°W
Y (N): 243218.65	X (E): 1989540.56	Y (N): 243138.65	X (E): 1989540.44



This location has been staked according to the best official survey records available to us. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified. Please review this plat and notify us immediately of any discrepancy. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified.

## CERTIFICATE:

I Aaron Morris a Registered Land Surveyor in the State Of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown and that said plat meets or exceeds the Oklahoma Minimum Technical Standards for the practice of land surveying as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Land Surveyors.

*[Signature]* 12/14/2018

Aaron L. Morris R.P.L.S. No.1477  
 Bennett-Morris & Associates Land Surveying P.C. ~ C.A. No. 5795 (LS)  
 Phone (580) 226-5108  
 Fax (888) 662-7778  
 1010 Northwest Boulevard  
 Ardmore, OK 73401



COORDINATES ARE AS SHOWN ARE DERIVED FROM OPUS SOLUTION. PROJECTION: OKLAHOMA NORTH ZONE, LAMBERT CONFORMAL HORIZONTAL: NAD27 VERTICAL: NAVD88 GEOID MODEL: GEOID 99 UNITS: US SURVEY FEET

SCALE 1" = 1500'



SURVEY BY: M & M Land Surveying, Inc. ~ C.A. No. 3093 (LS)	
DRAWING BY: Bennett-Morris And Associates Land Surveying, P.C.	
© COPYRIGHT 2018 C.A. No. 5975 (LS) ~ Aaron L. Morris, RPLS	
PROJECT NUMBER: 18482	SITE VISIT: (Explanation and Date)
SHEET: 6 OF 9	STAKING DATE: 10/18/2018
	DRAWING DATE: 12/12/2018