

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35051244240000

Completion Report

Spud Date: August 03, 2018

OTC Prod. Unit No.: 051-224810-0-0000

Drilling Finished Date: September 08, 2018

1st Prod Date: December 20, 2018

Completion Date: October 25, 2018

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: BOGEY 1-12X 1H

Purchaser/Measurer: WOODFORD EXPRESS

Location: GRADY 12 5N 5W
SE NE SE NE
1749 FNL 309 FEL of 1/4 SEC
Latitude: 34.922968022 Longitude: -97.671268967
Derrick Elevation: 1144 Ground Elevation: 1119

First Sales Date: 12/20/2018

Operator: RED ROCKS OIL & GAS OPERATING LLC 22649

1321 N ROBINSON AVE STE A
OKLAHOMA CITY, OK 73103-4919

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
687440	

Increased Density	
Order No	
686355	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
CONDUCTOR	20			105			SURFACE
SURFACE	9 5/8	40	J-55	1500		874	SURFACE
PRODUCTION	5 1/2	20	P-110	15005		1545	7000

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 15569

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
11590	CEMENT

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Dec 20, 2018	WOODFORD	77	42	79	1026	202	FLOWING	780	36/48	160

Completion and Test Data by Producing Formation

Formation Name: WOODFORD

Code: 319WDFD

Class: OIL

Spacing Orders

Order No	Unit Size
671277	640
682542	640
686249	MULTIUNIT

Perforated Intervals

From	To
11997	14885

Acid Volumes

15,150 GALLONS 15% ACID

Fracture Treatments

5,323,500 POUNDS 40/70 WHITE SAND, 160,634 BARRELS SLICK WATER

Formation	Top
TONKAWA	6975
HOXBAR	7430
HOGSHOOTER	8555
GIBSON	9610
HART	9775
SPRINGER	10590
BLACK SHALE	10600
CANEY	11312
SYCAMORE	11390
WOODFORD	11548
UPPER WOODFORD LP	11628

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC - THIS DOCUMENT IS ACCEPTED BASED ON THE DATA SUBMITTED NEITHER THE FINAL LOCATION EXCEPTION NOR THE FINAL MULTIUNIT ORDERS HAVE BEEN ISSUED.

Lateral Holes

Sec: 1 TWP: 5N RGE: 5W County: GRADY

SW SE NE SE

1325 FSL 338 FEL of 1/4 SEC

Depth of Deviation: 11177 Radius of Turn: 573 Direction: 359 Total Length: 7378

Measured Total Depth: 15569 True Vertical Depth: 11678 End Pt. Location From Release, Unit or Property Line: 338

FOR COMMISSION USE ONLY

Status: Accepted