Oklahoma Corporation Commission Oil & Gas Conservation Division Post Office Box 52000 Oklahoma City, Oklahoma 73152-2000

Rule 165: 10-3-25

API No.: 35073261900000 **Completion Report** Spud Date: August 31, 2018

OTC Prod. Unit No.: 073-225200 Drilling Finished Date: November 07, 2018

1st Prod Date: March 24, 2019

Completion Date: March 20, 2019

First Sales Date: 3/24/2019

Drill Type: HORIZONTAL HOLE

Well Name: MIKE STROUD BIA 1509 7-28-33MXH Purchaser/Measurer: ONEOK

KINGFISHER 33 15N 9W Location:

NE SE SW SW

400 FSL 1035 FWL of 1/4 SEC

Latitude: 35.726214 Longitude: 98.167924 Derrick Elevation: 1385 Ground Elevation: 1353

MARATHON OIL COMPANY 1363 Operator:

PO BOX 68

7301 NW EXPRESSWAY STE 225 OKLAHOMA CITY, OK 77001-0068

	Completion Type
Х	Single Zone
	Multiple Zone
	Commingled

Location Exception
Order No
702068

Increased Density
Order No
670365
677221

	Casing and Cement									
Туре	SAX	Top of CMT								
CONDUCTOR	20	94	K-55	80			SURFACE			
SURFACE	13.375	54.5	J-55	473		650	SURFACE			
INTERMEDIATE	9.625	40	P110HC	9228		1078	3079			
PRODUCTION	5.5	23	P110	20		2706	4,152			

Liner										
Type Size Weight Grade Length PSI SAX Top Depth Bottom Depth								Bottom Depth		
	There are no Liner records to display.									

Total Depth: 20449

Packer				
Depth Brand & Type				
There are no Packer records to display.				

Plug				
Depth	Plug Type			
20,177	CAST IRON BRIDGE PLUG			

Initial Test Data

October 04, 2019 1 of 2

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut- In Pressure	Choke Size	Flow Tubing Pressure
Mar 25, 2019	MISSISSIPPIAN SOLID	1102	56.1	5914	5366	896	FLOWING	2632	26	3245

Completion and Test Data by Producing Formation

Formation Name: MISSISSIPPIAN SOLID

Code: 359MSSSD

Class: OIL

Spacing Orders					
Order No	Unit Size				
198249	640				
161901	640				
702067	MULTIUNIT				

Perforated Intervals					
From To					
10562	15334				
15334 10060					

Acid Volumes	
NOT USED	

Fracture Treatments			
19,390,239 LBS. PROPPANT 241,678 BBLS. FLUID			

Formation	Тор
MISSISSIPPIAN	1026

Were open hole logs run? No Date last log run:

Were unusual drilling circumstances encountered? No Explanation:

Other Remarks

OCC: ORDERS NUMBERS 672015 AND 672016 ARE EXCEPTIONS TO RULE OAC 165 :10-3-28 (C)(2)(B) CAUSE CD NO. 201704618 AND RULE OAC 165:10-3-28(C)(2)(B) CAUSE CD NO, 201704621 RESPECTIVELY

Lateral Holes

Sec: 28 TWP: 15N RGE: 9W County: KINGFISHER

NE NW NW NW

168 FNL 379 FWL of 1/4 SEC

Depth of Deviation: 9941 Radius of Turn: 744 Direction: 354 Total Length: 9591

Measured Total Depth: 20449 True Vertical Depth: 10044 End Pt. Location From Release, Unit or Property Line: 168

FOR COMMISSION USE ONLY

1143539

Status: Accepted

October 04, 2019 2 of 2