

Oklahoma Corporation Commission
Oil & Gas Conservation Division
Post Office Box 52000
Oklahoma City, Oklahoma 73152-2000
Rule 165: 10-3-25

Form 1002A

API No.: 35137275710000

Completion Report

Spud Date: August 10, 2019

OTC Prod. Unit No.: 13722642400000

Drilling Finished Date: October 15, 2019

1st Prod Date: November 19, 2019

Completion Date: November 14, 2019

Drill Type: HORIZONTAL HOLE

Min Gas Allowable: Yes

Well Name: PAPA PUMP 0204 2-3-34SXH

Purchaser/Measurer: TARGA PIPELINE

Location: STEPHENS 10 2N 4W
NW SW NE NE
742 FNL 1092 FEL of 1/4 SEC
Latitude: 34.664646 Longitude: -97.601302
Derrick Elevation: 1206 Ground Elevation: 1182

First Sales Date: 11/19/2019

Operator: MARATHON OIL COMPANY 1363
PO BOX 68
7301 NW EXPRESSWAY STE 225
HOUSTON, TX 77001-0068

Completion Type	
X	Single Zone
	Multiple Zone
	Commingled

Location Exception	
Order No	
702213	

Increased Density	
Order No	
699625	
699624	

Casing and Cement							
Type	Size	Weight	Grade	Feet	PSI	SAX	Top of CMT
SURFACE	13 3/8	54.50	J55	1472		625	SURFACE
INTERMEDIATE	9 5/8	40	P110HC	11753		960	1271
PRODUCTION	5 1/2	23	P110	22980		3325	SURFACE

Liner								
Type	Size	Weight	Grade	Length	PSI	SAX	Top Depth	Bottom Depth
There are no Liner records to display.								

Total Depth: 23025

Packer	
Depth	Brand & Type
There are no Packer records to display.	

Plug	
Depth	Plug Type
22916	CIBP

Initial Test Data

Test Date	Formation	Oil BBL/Day	Oil-Gravity (API)	Gas MCF/Day	Gas-Oil Ratio Cu FT/BBL	Water BBL/Day	Pumpin or Flowing	Initial Shut-In Pressure	Choke Size	Flow Tubing Pressure
Nov 24, 2019	SPRINGER-SPRINGER SAND	2008	40	1089	542	1574	FLOWING	1302	40	

Completion and Test Data by Producing Formation

Formation Name: SPRINGER

Code: 401 SPRG

Class: OIL

Spacing Orders

Order No	Unit Size
131585	640
702212	MULTI UNIT

Perforated Intervals

From	To
12715	17846

Acid Volumes

26250 GALS OF 15% HCL ACID

Fracture Treatments

374121 BBLS OF FLUID
16500451 POUNDS OF PROPPANT

Formation Name: SPRINGER SAND

Code: 401SPRSD

Class: OIL

Spacing Orders

Order No	Unit Size
212610	640
702212	MULTIUNIT

Perforated Intervals

From	To
17846	22900

Acid Volumes

ACIDIZED WITH SPRINGER

Fracture Treatments

FRAC'D WITH SPRINGER

Formation Name: SPRINGER-SPRINGER SAND

Code:

Class: OIL

Formation	Top
SPRINGER	12347

Were open hole logs run? No

Date last log run:

Were unusual drilling circumstances encountered? No

Explanation:

Other Remarks

OCC: THIS DOCUMENT IS BEING ACCEPTED BASED ON THE DATA SUBMITTED. NEITHER THE FINAL LOCATION EXCEPTION NOR THE FINAL MULTIUNIT ORDERS HAVE BEEN ISSUED

Lateral Holes

Sec: 34 TWP: 3N RGE: 4W County: STEPHENS

NE NW NE NE

112 FNL 805 FEL of 1/4 SEC

Depth of Deviation: 12090 Radius of Turn: 364 Direction: 360 Total Length: 11193

Measured Total Depth: 23025 True Vertical Depth: 12029 End Pt. Location From Release, Unit or Property Line: 112

FOR COMMISSION USE ONLY

1144441

Status: Accepted